

ADDENDUM #2

Woodland Avenue Reconstruction Project
S.A.P. 118-157-020
City of Duluth Project No. 0243TR
Bid No. 2009-00000-273
Bid Opening: 2:00 PM, Wednesday, April 29, 2009

TO ALL BIDDERS:

The above entitled contract documents are hereby revised as follows:

1. The City of Duluth's, Minnesota Public Works and Utilities Department – Engineering Division, Standard Construction Specifications 2009 Editions section 2575 TURF ESTABLISHMENT shall be modified as follows:
 - Item (D) shall read **“Topsoil borrow material shall be placed to a thickness of 4 inches on all disturbed turf areas to be sodded.”**
 - Item (F) shall read **“Seed mixture No. 150 shall be applied at the rate of 50 pounds per acre.”**
 - Item (I) shall read **“Topsoil borrow material shall be placed to a thickness of 4 inches on all disturbed turf areas to be seeded.”**
 - Item (L) shall read **“Payment for sodding at the contract price per square yard shall include furnishing and placing 4 inches of topsoil borrow, shaping or otherwise preparing the ground, cutting as required, furnishing and laying sod on the areas designated to be covered and pressing the sod into the underlying soil by rolling or tamping.”**

This addendum revises the Plan Sheets and Specifications dated April 8, 2009, Addendum #1 dated April 22, 2009 and shall become the new Contract Documents. **Bidders shall acknowledge receipt of this addendum in the New Proposal Form and by facsimile to the City of Duluth at 218-730-5907. Failure to comply may result in the bid being rejected.**

Sincerely,

City of Duluth